according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

1. IDENTIFICATION OF THE SUBSTANCE

1.1. Product identifier

Trade name VXL® EX

Product type Cleaning agent, alkaline

1.2. Recommended use Solvent for 3D printing support material

1.3. Company

Manufacturer: BellandTechnology AG

Kühlenfelserstr. 47

D-91278 Pottenstein

Telephone +49 9243 70148-0

Distributor: BellandTechnology AG

Kühlenfelser Str. 47

D-91278 Pottenstein

Telephone +49 9243 70148-0

Fax +49 9243 70148-20

E-Mail info@bellandtechnology.de

1.4. Responsible Department BellandTechnology AG

Geschäftsleitung

info@bellandtechnology.de

1.5. Emergency telephone number +49 89 19240

Poison Center Munich

Klinikum rechts der Isar, Abt. für klinische Toxikologie

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

2. IDENTIFICATION OF HAZARDS

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No. 1272/2008)

REGULATION (EC) No. 1272/2008

Eye irritation, category 2 H 319: Causes serious eye irritation. (Calculation method)

2.2. Labeling elements

Labeling (REGULATION (EC) No. 1272/2008)

REGULATION (EC) No. 1272/2008

Hazard pictograms:



Signal word: Warning

Hazard statements: H319: Causes eye irritation.

Precautionary statements: P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to an appropriate recycling or disposal

facility

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

3. COMPOSITION/INFORMATION OF INGREDIENTS

3.1. Mixtures

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
SODIUM CARBONATE	497-19-8	Eye Irrit. 2; H319	>30
	207-838-8		
	011-005-00-2		
	01-2119485498-19		
SODIUM DISSILICATE	1344-09-8	Skin Irit. 2; H315	<10
	215-687-4	Eye Irit. 2; H319	
	-/-	STOT SE 3; H335	
	01-2119448725-31		

For explanation of abbreviations see section 16.

Further Information:

Labelling for contents according to regulation (EC) No. 648/2004: < 5% anionic surfactants

4. FIRST AID MEASURES

4.1. Description of first aid measures

General information: Move victim out of danger zone.

After inhalation: Following Inhalation: Move victim to fresh air. Consult physician.

If unconscious place in recovery position and seek medical advice.

After contact with eyes: In case of contact with eyes, rinse immediately with plenty of flowing water

for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if resent and easy to do. Continue

rinsing.

After contact with skin: After contact with skin, wash immediately with: Water and soap. In case of

skin irritation, seek medical.

After ingestion: Let water be drunken in little sips (dilution effect).

Call a physician immediately. If SWALLOWED: rinse mouth. Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration! Let water be drunken in little sips (dilution effect). If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain

immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Water spray jet / Foam / Carbon dioxide (CO2) / Dry extinguishing powder / Extinguishing powder Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media: Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbondioxide (CO₂), Carbonmonoxide (CO), Nitrogen Oxides (NOx).

5.3. Advice to firefighters

Special protective equipment Wes

for firefighters:

Wear self-contained breathing apparatus.

Wear chemical resistant suit. In case of fire and/or explosion do not breathe fumes.

Additional information: Collect contaminated fire extinguishing water separately. Do not allow

entering drains or surface water.

Dispose of waste according to applicable legislation.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

High slip hazard because of leaking or spilled product.

Avoid contact with skin and eyes.

6.2. Methods and material for containment and cleaning up

Contaminated fire-fighting water must be collected separately.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Environmental precautions

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

For safe handling see section 7, for personal protection see section 8.

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling: Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Advice on protection against

fire and explosion:

No special precautionary measures are necessary.

Further information on handling: Keep container tightly closed.

Protect against frost.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage Store only in original container.

areas and containers: Keep container tightly closed in a cool, well-ventilated place.

Avoid UV-radiation/sunlight.

Keep away from food, drink and animal feedingstuffs.

Further information: Keep container tightly closed.

Protect against frost.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If local exhaust ventilation is not possible or not sufficient the entire working area should be ventilated by technical means

Protective and hygiene measures

Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work. Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Keep away from: food, feeding stuff

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. (DIN EN 166)

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Recommendation: Disposable gloves

Recommended material: NBR (Nitrile rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

Do not allow uncontrolled leakage of product into the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Fundamental physical and chemical properties

Form: Powder

Color: colorless

Odor: product specific

Odor Threshold: Not relevant.

pH: (10%) 11,4

Changes in the physical state

Melting point/range: not relevant.
Boiling point/range: not relevant.
Sublimation point: not relevant.
Softening point: not relevant.
Pour point: not relevant.
Flash point: not relevant.

Flammability

Solid: not relevant.
Gas: not relevant.
Lower explosion limits: not relevant.
Upper explosion limits: not relevant.
Decomposition temperature: not relevant.

Auto-ignition temperature

Solid: not relevant.
Gas: not relevant.
Decomposition temperature: not relevant.

Oxidizing properties

Not relevant.

Vapor pressure: not relevant.
Density: not relevant.

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

Bulk denksity: 1053 kg/m³ Water solubility: easily soluble

Solubility in other solvents

Not determined.

Partition coefficient: not relevant. Viscosity/dynamic: not relevant. Viscosity/kinematic: not relevant. Flow time: not relevant. Vapor density: not relevant. Evaporation rate: not relevant. Solvent separation test: not relevant. Solvent content: not relevant.

9.2. Other information

Solid content: not relevant.

10. STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Do not mix with acids

10.4. Conditions to avoid

Exposure to moisture or frost

10.5. Incompatible materials

No hazardous reaction when handled and stored according to provisions.

10.6. Hazardous decomposition products

The product is chemically stable under recommended conditions of storage, use and temperature.

11. TOXICOLOGICAL INFORMATION

11.1. Acute toxicity

SODIUM CARBONATE

Acute oral toxicity: LD50 Oral (Rat): 4090 mg/kg

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

11.2. Eye corrosion/irritation

Causes serious Eye irritation.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

The product is not ecotoxic.

Components:

SODIUM CARBONATE:

Toxicity to fish: LC50 (Lepomis macrochirus (Bluegill sunfish)):

300 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

EC50 (Ceriodaphnia dubia (water flea)): 265 mg/l

aquatic invertebrates:

Exposure time: 48 h

12.2. Persistence and degradability

Product:

Biodegradability: The surfactants contained in this mixture comply with the biodegradability

criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct

request or at the request of a detergent manufacturer.

12.3. Bio accumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects:

No information available.

Further information: Avoid release into the environment.

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

13. DISPOSAL CONSIDERATIONS

Advice on disposal

Do not allow to enter into surface water or drains.

Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

Consult the appropriate authorities about waste disposal.

Contaminated packaging

Wash with plenty of water.

Completely emptied packings can be re-cycled.

Dispose of waste according to applicable legislation.

14. TRANSPORT INFORMATION

Land transport (ADR/RID)

- 14.1. UN number: No dangerous good in sense of this transport regulation.
- **14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

- **14.1. UN number:** No dangerous good in sense of this transport regulation.
- **14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- **14.3.** Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

- 14.1. UN number: No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

- **14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
- 14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

according to EU Regulation No. 1907/2006



Revision date: 14.11.2019 Version 3 Date of print: 14.11.2019

VXL® EX

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 1 - slightly water contaminating

16. OTHER INFORMATION

Changes

This date sheet contains changes from the previous version in section(s): 2,3,9,14.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LD50: Lethal concentration, 50 %

LC50: Lethal dose, 50 %

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H315 Calculation method

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.