

## ESM-30

### 1. IDENTIFICATION OF THE SUBSTANCE

#### 1.1. Product identifier

Trade name	<b>3DGence ESM-30</b>
Product type	<b>Acrylate Terpolymer based polymer blend</b>
<b>1.2. Recommended use</b>	Monofilament do druku 3D w technologii FFF
<b>1.3. Company</b>	3DGence sp. z o.o. Mickiewicza 29 40-085 Katowice, Poland
Telephone	+48 32 438 98 65
E-Mail	sales@3dgence.com
<b>1.4. Emergency telephonenumber</b>	+48 32 438 98 65

## ESM-30

Version 1 | Revision date: 26.10.2023

### 2. IDENTIFICATION OF HAZARDS

#### 2.1. Classification

According to EC regulation 1272/2008 (CLP) the substance is classified as not hazardous.

#### 2.2. Labeling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### 2.3. Other hazards

Danger of burns while handling the heated or molten product.

### 3. COMPOSITION/INFORMATION OF INGREDIENTS

#### 3.1. Substances

Acrylate Terpolymer based polymer blend enhanced for 3D printing.

## ESM-30

Version 1 | Revision date: 26.10.2023

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

General information:	Contaminated clothing must be taken off immediately.
After inhalation:	After inhalation of decomposition products gases or dust, bring the affected person to a source of fresh air and keep calm. Contact a physician in case of discomfort.
After eye contact:	After contact with the molten product, cool skin area immediately with cool water. Do not remove the product from the affected skin areas without medical assistance. Cover with sterile cotton sheeting to protect against infection. Seek medical attention.
After skin contact:	Rinse mouth with water. Induce vomiting immediately and seek medical attention. If a person vomits when lying on his back, place him in the recovery position.
After ingestion:	Przepłukać usta wodą. Natychmiast wywołać wymioty i skontaktować się z lekarzem. Jeśli osoba wymiotuje leżąc na plecach, należy ułożyć ją w pozycji spoczynkowej.
Note to the physician:	Treat symptomatically

#### 4.2. Most important symptoms and effects, both acute and delayed

Dust: Skin irritation, eye irritations and redness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Decontamination, vital functions.

## ESM-30

Version 1 | Revision date: 26.10.2023

### 5. FREFIGHTING MEASURES

#### 5.1. Extinguishing media

---

Water spray jet, foam, extinguishing powder, carbon dioxide.

---

#### 5.2. Unsuitable media

---

Full water jet or a solid water stream. It might scatter and spread fire.

---

#### 5.3. Special hazards arising from the substance or mixture

---

Exposure to decomposition products may be a hazard to health. The smoke of a fire can, in addition to the originating material, also contain combustion products of varying composition, which may be toxic and/or irritating. Combustion products may include and are not limited to carbon monoxide and carbon dioxide.

---

#### 5.4. Advice to firefighters

---

Wear self-contained breathing apparatus and full protective clothing.

---

#### 5.5. Additional information

---

Fine dust dispersed in air may ignite. Risk of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust.

Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. In the event of fire and/or explosion do not breathe fumes. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Hazchem-Code: -

---

## ESM-30

Version 1 | Revision date: 26.10.2023

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

---

Do not inhale vapors/fumes released during thermal processing. Use personal protective equipment/clothing (see section 8). Avoid eye contact and dust formation and remove all sources of ignition. Sweep up to prevent slipping hazard.

---

#### 6.2. Methods and material for containment and cleaning up

---

Sweep/shovel into suitable container for disposal. Avoid raising dust and ensure adequate ventilation. Clean contaminated surface thoroughly.

---

#### 6.3. Environmental precautions

---

Prevent entry into drainage systems, or surface water. See section 13, disposal consideration.

---

### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

---

Handle in a well-ventilated area. Install local exhaust at 3D printer's area is recommended when many printers are operated at once. Avoid contact with heated or molten product. Use personal protective equipment (see section 8). Avoid dust formation and electrostatic charge. Keep away from fire ignition.

---

## ESM-30

Version 1 | Revision date: 26.10.2023

---

### 7.2. Conditions for safe storage, including any incompatibilities

---

Protect from water, moisture and direct sunlight. Store material in dry rooms and keep material in closed and air tight packaging/container with desiccant when not in use. Store at ambient temperatures. Avoid all sources of ignition.

---

### 7.3. Precautions

---

No special precautions required.

---

### 7.4. Specific use(s)

---

Primarily used for 3D printing.

---

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Occupational exposure limits

---

Given suitable ventilation it can be that the threshold limits will not be reached. Provide good ventilation to ensure that the workplace exposure limit is not exceeded. Use of respiratory protection may be necessary during maintenance activities.

### 8.2. Exposure controls

---

Thermal extrusion:	Provide local exhaust ventilation to ensure that the workplace exposure limit is not exceeded. Use respiratory protection may be necessary during maintenance activities.
--------------------	---

## ESM-30

Version 1 | Revision date: 26.10.2023

### 8.3. Personal protective equipment

---

Hand protection:	Heat protective gloves according to EN 374. Glove material: Nitrile rubber – Layer thickness: 0,11 mm. Breakthrough time: 480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time. In case of melting: Impervious heat protective gloves according to EN 407. Glove material: Leather, KevlarR. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
------------------	---

---

Eye protection:	Tightly sealed goggles according to EN 166.
-----------------	---

---

Skin and body protection:	Wear suitable protective clothing. Boots or safety shoes. IN case of dust formation: Overall.
---------------------------	---

---

Safety and hygiene measures:	Avoid contact of hot molten material to skin. Avoid inhalation of dust, mists and vapors. Eye wash fountains and safety showers must be easily accessible. Handle in accordance with good industrial hygiene and safety practice. No eating or drinking during work.
------------------------------	--

---

### 8.4. Environmental exposure controls

---

Prevent entry into drainage systems, or surface water.

---

## ESM-30

Version 1 | Revision date: 26.10.2023

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Fundamental physical and chemical properties

Form:	Filament (solid), Granulate (solid)
Color:	Natural
Odor:	Weak, characteristic
Melting index:	1 – 10 g/10 min (200 °C/10 kg)
Ignition temperature:	> 450 °C
Flash point/ flash point range:	No data available
Explosion limit:	No data available
Density:	No data available
Solubility in water:	Insoluble
Solubility in 0,5 N NaOH:	50 g/l
Decomposition temperature:	> 290 °C
Specific gravity:	1,1 g/cc (20 °C)



## ESM-30

Version 1 | Revision date: 26.10.2023

### 10. STABILITY AND REACTIVITY

#### 10.1. Stability

---

Product is stable at recommended storage conditions.

---

#### 10.2. Conditions to avoid

---

Avoid extreme heat and all sources of ignition. Avoid heating for a long time above processing temperatures.

---

#### 10.3. Substances to avoid

---

Alkaline, strong acids and oxidation substances.

---

#### 10.4. Hazardous reactions

---

The product is chemically stable.

---

#### 10.5. Hazardous decomposition products

---

Dangerous/toxic fumes and other gaseous products of degradation can be given off if the product is greatly overheated. The decomposition of product depends on temperature, air supply and the presence of other materials (carbon monoxide, hydrocarbon oxidation products, including organic acids aldehydes and alcohol). In case of fire may be liberated: Smoke, hydrogen cyanide, hydrocarbons, carbon monoxide and carbon dioxide.

---

## ESM-30

Version 1 | Revision date: 26.10.2023

### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Toxicological effects

Acute toxicity (oral):	No data available
Acute toxicity (dermal):	No data available
Acute toxicity (inhalative):	No data available
Skin corrosion/irritation:	Not expected to be irritating
Serious eye damage/irritation:	Not expected to be irritating
Sensitization:	Not expected to be a skin sensitizer
Repeated dose toxicity:	No data available
Carcinogenicity:	No data available
Mutagenicity:	No data available
Toxicity for reproduction:	No data available

#### 11.2. Other dangers

Based on our state of knowledge and experience no injurious health effects are expected if the product is properly handled for the designated use.

## ESM-30

Version 1 | Revision date: 26.10.2023

### 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Eco-toxicity: No ecological toxicity data has been generated for this product. There are no test results available and information is based on similar products.

Ecological toxicity effects: No negative ecological effects are known at the present state of knowledge.

#### 12.2. Persistence and degradability

Biodegradation: The product is not readily biodegradable. The product is likely to persist in the environment.

#### 12.3. Bio accumulative potential

No data available, but the product is expected not to be readily bioavailable due to its consistency and insolubility in water.

#### 12.4. Mobility in soil

The product is essentially insoluble in water. Avoid contamination of soil, surface and sewage system water.

#### 12.5. PBT and vPvB results

No data available

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

No data available

## ESM-30

Version 1 | Revision date: 26.10.2023

### 13. DISPOSAL CONSIDERATIONS

---

Product:	Generation of waste should be minimized, check the possibility for recycling. Waste product can be incinerated or dumped together with domestic waste in compliance with the local authority.
----------	---

---

Product:	The packaging material must be emptied completely and disposed in accordance with the regulations. The packaging can be recycled if not contaminated.
----------	---

---

### 14. TRANSPORT INFORMATION

---

IATA (AIR):	This product is not classified as hazardous
-------------	---

---

IMDG (SEA):	This product is not classified as hazardous
-------------	---

---

UN, IMO, ADR/RID, ICAO Code (Road/Rail):	This product is not classified as hazardous
--	---

---

#### 14.1. Transport in bulk according to Annex II of Marpol and the IBC Code

---

No data available

---

## ESM-30

Version 1 | Revision date: 26.10.2023

### 15. REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

EU/National regulations:

This product does not require a hazard warning label in accordance with EC Directives.

#### 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

### 16. OTHER INFORMATION

The information in this data sheet has been established to our best knowledge and was up-to-date at time of reversion. It is only meant for providing assistance for the processor.

It does not represent a guarantee for the properties of this product described in terms of the legal warranty regulations.

BellandTechnology AG does not guarantee the suitability of the product and does not assume responsibility for this information.

The rights and/ or licenses are not warranted directly or indirectly on consisting or pendent patents, their application or trading names. The processor is responsible for the fulfilment of all provisions and patents.